AUTHOR INDEX

Anderson, A. *See* **Greaves, J. E.,** Jones, L., and.

Asghar, A. G. *See* **Puri, A. N.; Puri, A. N.,** and Dua, A. N.

Beckenbach, J. R., Robbins, W. R., and Shive, J. W. Nutrition studies with corn: III, 219–238.

Bollen, W. B. *See* **Spulnik, J. B.,** Stephenson, R. E., Caldwell, W. E., and.

Brown, S. M. *See* **Kelley, W. P.,** and Liebig, G. F., Jr.

Caldwell, W. E. *See* **Spulnik, J. B.,** Stephenson, R. E., and Bolen, W. B.

Chang, S. C. Assimilation of phosphorus by mixed soil population and by pure cultures of soil fungi, 197–210.

Chao, T. Y. *See* **Wilson, S. D.,** Winfield, G. F., Ch'en, S. C., and.

Ch'en, S. C. *See* **Wilson, S. D.,** Winfield, G. F., and Chao, T. Y.

Christensen, B. E., Simkins, G., and Hiatt, V. Apparatus and procedure for determination of carbon content of soil, 51–56.

Conrad, J. P. Hydrolysis of urea in soils by thermolabile catalysis, 253–263.

Drosdoff, M., and Nikiforoff, C. C. Iron-manganese concretions in Dayton soils, 333–345.

Dua, A. N. *See* **Puri, A. N.,** Asghar, A. G., and.

Eckert, G. W. *See* **Winterkorn, H. F.**

Ergle, D. R. Iodine content of Texas soils, 361–367.

Galloway, H. M. Origin and properties of alkaline raw humus, 295–301.

Gillam, W. S. Study on chemical nature of humic acid, 433–453.

Graham, E. R. Primary minerals of silt fraction as contributors to exchangeable-base level of acid soils, 277–281.

Greaves, J. E., Jones, L., and Anderson, A. Influence of amino acids and proteins on nitrogen fixation by *Azotobacter chroococcum*, 9–19.

Haas, A R. C. *See* **Huberty, M. R.**

Hiatt, V. *See* **Christensen, B E.,** Simkins, G., and.

Hibbard, P. L. Soil zinc survey in California, 63–72.

Huberty, M. R., and Haas, A. R. C. The pH of soil as affected by soil moisture and other factors, 455–478.

Jones, L. *See* **Greaves, J. E.,** and Anderson, A.

Katznelson, H. Survival of Azotobacter in soil, 21–35; autolysis of a thermophilic Actinomyces, 83–93; survival of microorganisms inoculated into sterilized soil, 211–217; survival of microorganisms introduced into soil, 283–293.

Kelley, W. P., Brown, S. M., and Liebig, G. F., Jr. Chemical effects of saline irrigation water on soils, 95–107.

Kleczkowska, J., Norman, A. G., and Śnieszko, S. F. Bacteriological studies on a new capsulated bacillus, 185–191.

Kleczkowski, A., and Wierzchowski, P. Experiments on chemical nature and properties of polysaccharide produced by *Bacillus krzemieniewski* n. sp., 193–195.

Kolodny, L., and Robbins, W. R. Availability of fixed potassium to plants, 303–313.

Leamer, R. W., and Lutz, J. F. Determination of pore-size distribution in soils, 347–360.

Leeper, G. W., and Swaby, R. J. Oxidation of manganous compounds by microorganisms in soil, 163–169.

Liebig, G. F., Jr. *See* **Kelley, W. P.,** Brown, S. M., and.

Lutz, J. F. *See* **Leamer, R. W.**

Madhok, M. R. Association of legumes and nonlegumes, 419–431.

Mattson, S., and Wiklander, L. The laws of soil colloidal behavior: XXI, 109–153.

Nikiforoff, C. C. *See* **Drosdoff, M.**

Norman, A. G. *See* **Kleczkowska, J.,** and Śnieszko, S. F.

Nutman, F. J. *See* **Schmid, F. A. F.**

Puri, A. N., and Asghar, A. G. Physical characteristics of soils: VII, 369–378.

Puri, A. N., Asghar, A. G., and Dua, A. N. Physical characteristics of soils: VI, 239–249.

Puri, A. N., and Uppal, H. L. Base exchange in soils: II, 155–162.

Robbins, W. R. *See* **Beckenbach, J. R.,** and Shive, J. W.; **Kolodny, L.**

Schmid, F. A. F., and Nutman, F. J. Excavation of growing trees in undisturbed soil, 411–417.

Shive, J. W. *See* **Beckenbach, J. R.,** Robbins, W. R., and.

Shrikhande, J. G. Effect of narrow carbon-nitrogen ratio and of naturally occurring tannins in decomposing plant materials upon production of mucus, 1–8.

Simkins, G. *See* **Christensen, B. E.,** and Hiatt, V.

Śnieszko, S. F. *See* **Kleczkowska, J.,** Norman, A. G., and.

Sokoloff, V. P. Rapid method of checking accuracy of reported water analyses, 57–61.

Spulnik, J. B., Stephenson, R. E., Caldwell, W. E., and Bollen, W. B. Effect of waste sulfite liquor on soil properties and plant growth, 37–49.

Stephenson, R. E. *See* **Spulnik, J. B.,** Caldwell, W. E., and Bollen, W. B.

Stokes, J. L. Influence of environmental factors upon development of algae and other microorganisms in soil, 171–184; role of algae in nitrogen cycle of soil, 265–275.

Swaby, R. J. *See* **Leeper, G. W.**

Uppal, H. L. *See* **Puri, A. N.**

Wall, M. E. Role of potassium in plants: II, 315–331; III, 393–409.

Wierzchowski, P. *See* **Kleczkowski, A.**

Wiklander, L. *See* **Mattson, S.**

Wilson, S. D., Winfield, G. F., Ch'en, S. C., and Chao, T. Y. Control of fecal-borne diseases in North China: **XI,** 379–392.

Winfield, G. F. *See* **Wilson, S. D.,** Ch'en, S. C., and Chao, T. Y.

Winterkorn, H. F., and Eckert, G. W. Consistency and physicochemical data of loess pampaneo soil: I, 73–82; II, 479–488.

SUBJECT INDEX

Actinomyces—
  numbers—
    as affected by treatment, 45, 173
    in Palouse loam, 27
  thermophilic—
    autolysis, 83–94
    growth, 83–94
Algae—
  as influenced by environmental factors, 171–184
  nitrogen fixation by blue-green, 273
  role in nitrogen cycle, 265–273
Aluminum oxide in Dayton soil, 338
Amino acids, effect on nitrogen fixation, 11–16
Ammonia formation from urea, 260
Amphoteric points of soil, 109, 127, 136, 141
Anorthite, effect on acid soils, 277–281
Ash, of humic acid, 435.
Augite, effect on acid soils, 277–281
Azotobacter—
  nitrogen fixation by, 9–18, 25
  numbers, as influenced by—
    aluminum, 30, 31
    potassium phosphate, 25
    soil extract, 32
    soil reaction, 30, 31, 32
    soil treatment, 24–34
  relation to Chlorophyceae, 265
  survival in soil, 21–34
Bacteria—
  Bacillus Krzemieniewski, a new capsulated, 185–195
  in Palouse loam, 27
  numbers, as influenced by soil treatments, 45, 173, 288
Bases—
  effect of leaching with sodium-calcium solution, 103
  effect on soil cohesion, 239
  extracted from soils by ammonium acetate, 96
  in alkaline raw humus, 297
Base exchange—
  as affected by—
    ignition, 370
Base exchange—
  as affected by—(*continued*)
    primary minerals, 277
  capacity in soil, 96, 155–162
  effect on soil cohesion, 239
  of humic acid, 439, 451
Biological activity—
  as affected by—
    environmental factors, 171–184
    waste sulfite liquor, 43
  in cellulose decomposition, 198
  of humus types, 297
Biotite, effect on acid soils, 277
Calcium—
  carbonate, destruction by ignition, 372
  in Dayton soil, 338
  in mineral mixtures, 279
Carbon—
  content of—
    humic acid, 435
    manure, 383
    soils, 22, 54
  determination in soils, apparatus for, 51
  nitrogen ratio of—
    manure, 391
    organic matter, 79
    plants, 4
    soils, 79
Carbohydrate—
  content of plants, as influenced by—
    nutrient ion concentrations, 219
    potassium in nutrient solution, 325
  metabolism in potassium-deficient plants, 393–409
Clay—
  as affected by ignition, 370, 372
  effect on soil cohesion, 239
Colloids—
  absorption of moisture by, 375
  amphoteric points, 115
  behavior, 109-150
  Donnan equilibrium of, 115
  effect on—
    exchange acidity, 145
    exchange alkalinity, 145
    soil cohesion, 247

Colloids—(*continued*)
properties of soil, 485
Composts—
materials used in, on Shantung farms, 381
stickiness, as affected by—
degree of decomposition, 4
hydrogen-ion concentration, 5, 6
tannins, 7
Corn, nutritional studies, 219–238
Donnan equilibrium in soils, 114
Exchange—
acidity, 122, 128, 130, 132, 145, 155–162
alkalinity, 122, 128, 130, 132, 145
cations, effect on plastic index, 482
neutrality, 110
Fungi—
assimilation of phosphorus, by, 197
numbers—
as affected by soil treatment, 44
in Palouse loam, 27
persistence in soil, 214, 215
Hornblende, effect on acid soils, 277–281
Humic acid, chemical nature, 433, 453
Humus—
effect on colloidal behavior, 141–144
destruction by ignition, 372
raw alkaline, origin and properties, 295–302
Hydrogen-ion concentration—
as influenced by—
nitrogenous fertilizers, 475
rainfall, 472
salt concentrations in hydrogen soils, 160
soil moisture and other factors, 455–478
waste sulfite liquor, 45, 46
changes with depth, 466
effect on—
algae in soil, 177
soil cohesion, 243
soil colloidal behavior, 109–154
of Dayton soils, 338
of manure, 388
of soil, in different salt solutions, 158
of water displaced solution, 463
seasonal changes in, 466
Ignition, effect on physical properties of soil, 369–378
Iodine content of Texas soils, 361–367
Iron—
in mineral mixtures, 279
manganese concretions in Dayton soils, 333–345
Irrigation, saline, chemical effects on soil, 95–107
Legumes, association with nonlegumes, 419–430
Magnesium in Dayton soil, 338
Manganese—
deficiency of oats, 167
iron concretions in Dayton soil, 333–345
Manganous compounds, oxidation by microorganisms, 163–170
Manure, chemical nature on Shantung farms, 379–392
Microcline, effect on acid soil, 277–281
Microorganisms—
as affected by environmental factors, 171–184
oxidation of manganous compounds, 163
phosphorus assimulation by, 193
survival in soil, 211–218, 283–293
Mineral—
content of manure, 388
metabolism of tomato plants, 327
primary, content of silt fraction, effect on acid soils, 277–282
Moisture—
effect on soil algae, 175
hygroscopic, influence on soil cohesion, 239
tension values, 356
Mucus production in soils, 1–8
Nitrogen—
content of—
humic acid, 435
manure, 383
plants, 219–237, 420, 421, 426
cycle in soil, role of algae in, 265–273
excreted from plants, 423
fixation by—
Azotobacter, 9–18, 25
Bacillus Krzemieniewski, 189
blue-green algae, 273
chick pea-wheat association, 421
loss from manure, 384
metabolism in potassium-deficient plants, 393–409
Nutrition studies of corn, 219–238
Oats, manganese deficiency, 167
Organic matter—
calcium-nitrogen ratios, 79
composition in soil, 483
decomposition as affected by phosphorus, 199–202
in Dayton soil, 338

Organic matter—(*continued*)
in Shantung farm manures, 386
influence on—
algae in soil, 178
consistency properties of soil, 80
zinc content of soil, 66
nitrogen content, 199
proximate analysis in manure, 387
transformation of phosphorus in, 199
Oxidation of manganous compounds in soil, 163
Oxygen content of humic acid, 435
Peat, zinc content, 68
Percolation, as influenced by pore space, 354
Phosphorus—
assimilation by microorganisms, 197–210
content of—
alkaline raw humus, 297
manure, 383
effect on decomposition of organic matter, 199–203
transformation in organic matter, 199
Plant—
calcium-nitrogen ratios, 4
growth, as affected by—
chari-guara association, 427
potassium, 308, 315
senji-oat association, 426
waste sulfite liquor, 37
Potassium—
availability of fixed, 303
content of—
Dayton soils, 338
manure, 383
tomato plants, 308
role in plants, 315–331, 393–408
Proteins, effect on nitrogen fixation, 16, 17
Quartz, effect on acid soils, 277–281
de'Sigmond, Alexius, A. J., obituary note, 251
Silica, in Dayton soils, 338
Sodium in Dayton soils, 338
Soil—
Actinomyces, see *Actinomyces*
adsorption of—
ammonium, 112, 113, 370
sulfate, 112, 113
ureal, 257
azotobacter, *see* Azotobacter
bacteria, *see* Bacteria
biological activity, as affected by waste sulfite liquor, 43
carbon, apparatus for determining, 51–55
Soil—(*continued*)
carbon dioxide evolution in, 44
cobalt content of California, 66, 67
cohesion, 239, 247, 377
consistency values, 479–488
copper content of California, 66, 67
fungi, *see* Fungi
hydrogen-ion concentration, *see* Hydrogen-ion concentration
iodine content, 361–368
iron-manganese concretions in, 333–345
lead content of California, 66, 67
loess pampaneo, consistency and physicochemical data, 73–82, 479–487
mechanical analyses, 75, 480
microorganisms, *see* Microorganisms
moisture tension, 356
nickel content of California, 66, 67
nutrients, water-soluble, as affected by waste sulfite liquor, 42
organic matter, *see* Organic matter
oxidation of manganous ion in, 167
percolation of, separates, 354
pore size distribution, 347–360
profile—
chemical composition of Dayton, 338
iron-manganese concretions in Dayton, 334
studies of loess pampaneo, 73–82
properties—
physical, 37, 76–82, 239
physicochemical, 73–82, 479–488
series, analyses, descriptions, or experiments with—
Aiken, 68, 458; Auburn, 68; Altamont, 465; Brentwood, 68; Cecil, 356; Dayton, 333; Denton, 364; Dublin, 95; Greenfield, 68; Hanford, 68; Harlingen, 364; Houston, 363; Iredell, 356; Irving, 364; Josephine, 54; Manzanita, 68; Marshall, 280; Newburg, 42; Palouse, 22, 54; Penola, 167; Pilot Rock, 54; Putnam, 280; Ramona, 95, 458–465; Rocklin, 68; Rupert, 54; Salem, 54; Sacramento, 68; Sassafras, 22; Stockton, 68; Traver, 458, 465; Tujunga, 465; Umatilla, 54; Victoria, 364; Volusia, 280; Walla Walla, 54; Werribee, 166; Wilson, 363; Woodrow, 465; Yahola, 364; Yolo, 96, 254, 265, 465; Zamora, 68

Soil—(*continued*)
titration curves—
effect of ignition on, 369, 373
of Häggbygget podzol, 120
of Las Mesas laterite, 137
of Newburg loam, 45
of Unden podzol, 139
zinc content of California, 63–71
Sulfur, waste sulfite liquor as source, 40, 41
Tomatoes, metabolism, 315–331, 393–409
Trees, excavation in soil, 411–416
Urea—
adsorption, 257
hydrolysis by thermolabile catalysis, 253–263
Waste sulfite liquor—
chemical composition, 38
effect on plant growth, 39
Water—
analyses, method of checking, 57–61
saline, chemical effects on soil, 95–107
Zinc in California soils, 63–67